Hyperlinks

Hyperlinks, also called hotlinks, allow actions to be automated. For example, a hotlink can be created that logs the user into Agiloft and opens a new Bug Report record and sets the Severity field to Medium, hides the GUI so that the users never even realize that they have entered Agiloft and returns them to a URL of your choosing when they click the Finish button.

Autologin Hotlinks

- You can create a hyperlink that will log a guest user in to any screen, such as the New User form, the New Ticket form, the New Lead form, etc. without showing them any of the interface.
- Power users can create their own hyperlinks to take them to different saved searches, different tables and so on.

Hotlink Examples

Login to Demo in Progress KB to self-register and create a New Customer record without seeing the rest of the GUI:

```
<a href="http://www.example.com:8080/gui2/login.jsp?keyID=0
&user=register&password=register
&project=Demo%20in%20Progress&state=New:contacts.customer&
Table=Contacts&GUI=No/eui"> http://www.example.com:8080/gui2/login.jsp?
keyID=0&user=register
&password=register&project=Demo%20in%20Progress
&state=New:contacts.customer&Table=Contacts
&GUI=No/eui</a>
```

Login to Podaac KB as the FAQ user to the end user interface:

```
<a href="http://www.example.com:8080/gui2/login.jsp?KeyID=0
&project=podaac&user=faquser&password=faquser
&State=enduser"> http://www.example.com:8080/gui2/login.jsp?KeyID=0&
project=podaac&user=faquser&password=faquser
&State=enduser</a>
```

Login to Agiloft KB as a guest user to submit a new bug report:

```
<a href="http://www.example.com:8080/gui2/login.jsp?keyID=0
&user=guest&password=notreal&project=Fictional
&state=New:c_bugreport"> http://www.example.com:8080/gui2/login.jsp?keyID=0
&user=guest&password=notreal&project=Fictional
&state=New:c_bugreport</a>
```

Defining the Table in a Hyperlink

The table value is found by navigating to **Setup > Tables**, choosing a table, and clicking Edit. On the first tab of the wizard after the labels, you'll see the logical table name to be used in a hyperlink.

*Table Name

sw_19547contract

Logical Table Name

contract

Logical table name